

Safety Data Sheet			
1. Identification			
Product Name:	Organic Cardamom Essential Oil		
Botanical/INCI:	Elettaria cardamomum		
Synonyms:	N/A		
CAS Number:	8000-66-6		
Product Uses:	Personal care, Aromatherapy		
Manufacturer/Supplier:	Amrita Aromatherapy, Inc.®		
Address:	1900 W. Stone Ave., Suite C Fairfield, IA 52556		
Phone:	1(800)410-9651 or 1(641)472-9136		
Fax:	1(641)472-8672		
Emergency Contact:	Poison Control: 1(800)222-1222		
2. Hazard(s) Identification			
Appearance:	Liquid		
Signal Word:	Warning		
Statement of Hazard:	H226 Flammable liquid and vapor H302 Harmful if swallowed		
	H315 Causes skin irritation		
	H317 May cause an allergic skin reaction		
	H319 Causes serious eye irritation		
	H411 Toxic to aquatic life with long lasting effects		
	P210 Keep away from heat, hot surfaces, sparks, open		
	flames and other ignition sources. No smoking.		
	P233 Keep container tightly closed		
Dus soutienems Statementes	P243 Take precautionary measures against static		
Precautionary Statements:	discharge. P272 Contaminated work clothing should not be allowed out		
	of the workplace.		
	P273 Avoid release to the environment		
	P280 Wear protective gloves/protective clothing/eye		
	protection/face protection.		
	P302+P352 IF ON SKIN: Wash with plenty of water/soap.		
	P303+P361+P353 IF ON SKIN (or hair): Take off		
	immediately all contaminated clothing. Rinse SKIN with		
	water or shower. P333+P317 If skin irritation or rash occurs: Get medical		
	help.		
	P362+P364 Take off contaminated clothing and wash it		
	before reuse.		
	P370+P378 In case of fire: Use Foam, Dry chemical,		
	Carbon Dioxide, B class Extinguishers to extinguish.		
	P403+P235 Store in a well-ventilated place. Keep cool.		
	P391 Collect spillage P501 Dispose of contents/container in accordance with		
	local/regional/national/international regulations		
Aspiration Toxicity:	Category N/A		
Skin Irritation:	Category 2		
Skin Sensitization:	Category 1		
	<u> </u>		
Eye Irritation:	Category 2		
Eye Damage:	Category N/A		



		the Purest"			
Acute Aquatic Toxicity:	Category 2				
Chronic Aquatic Toxicity: Category 2					
Flammable Liquids:	Category 3				
Classification according to EU Directives 67/548 Section, see Section 16.	/EEC or 1999/	45/EC. For the fu	ll text of the R	-phrases mentione	d in this
	Haz	ards			
Symbol(s) Writing	Pictogram(s)				
Flammable liquid and vapor			>		
 Causes skin irritation May cause an allergic skin reaction Causes serious eye irritation 			>		
Toxic to aquatic life with long lasting expressions and the second	ffects	***	>		
3. Composition / Information on Ingl	redients	•			
Ingredients List: 100% Organic Cardamom E					
Component			147 1 1 4 07		
		CAS Number	Weight %	Classification 1272 / 2008	REACH Number
Alpha-terpinyl acetate		CAS Number 80-26-2	<=42%		_
Alpha-terpinyl acetate 1,8-Cineol			-	1272 / 2008	Number
		80-26-2	<=42%	1272 / 2008 AC2	Number 201-265-7
1,8-Cineol		80-26-2 470-82-6	<=42% <=28%	1272 / 2008 AC2 FL3, SS1	Number 201-265-7 207-431-5
1,8-Cineol Linalyl acetate		80-26-2 470-82-6 115-95-7	<=42% <=28% <=8%	1272 / 2008 AC2 FL3, SS1 SI2, SS1, EI2 FL3, ATox4, AspT1, SI2, EI2, STOT SE	Number 201-265-7 207-431-5 204-116-4
1,8-Cineol Linalyl acetate Sabinene Linalool	e Section 8 fo	80-26-2 470-82-6 115-95-7 3387-41-5	<=42% <=28% <=8% <=4%	1272 / 2008 AC2 FL3, SS1 SI2, SS1, EI2 FL3, ATox4, AspT1, SI2, EI2, STOT SE 3	Number 201-265-7 207-431-5 204-116-4 222-212-4
1,8-Cineol Linalyl acetate Sabinene Linalool	e Section 8 fo	80-26-2 470-82-6 115-95-7 3387-41-5	<=42% <=28% <=8% <=4%	1272 / 2008 AC2 FL3, SS1 SI2, SS1, EI2 FL3, ATox4, AspT1, SI2, EI2, STOT SE 3	Number 201-265-7 207-431-5 204-116-4 222-212-4
1,8-Cineol Linalyl acetate Sabinene Linalool (See	Seek medica	80-26-2 470-82-6 115-95-7 3387-41-5 78-70-6 r Exposure Limit	<=42% <=28% <=8% <=4% <=3% s)	1272 / 2008 AC2 FL3, SS1 SI2, SS1, EI2 FL3, ATox4, AspT1, SI2, EI2, STOT SE 3 SI2, SS1B, EI2	Number 201-265-7 207-431-5 204-116-4 222-212-4 201-134-4
1,8-Cineol Linalyl acetate Sabinene Linalool (See	Seek medica	80-26-2 470-82-6 115-95-7 3387-41-5 78-70-6 r Exposure Limit al attention in case ccurs. May cause tact lenses. Flush	<=42% <=28% <=8% <=4% <=3% s) e of any discolung damage	1272 / 2008 AC2 FL3, SS1 SI2, SS1, EI2 FL3, ATox4, AspT1, SI2, EI2, STOT SE 3 SI2, SS1B, EI2	Number 201-265-7 207-431-5 204-116-4 222-212-4 201-134-4 c of aspiration
1,8-Cineol Linalyl acetate Sabinene Linalool (See 4. First Aid Measures General Advice:	Seek medica if vomiting or Remove con contact phys Remove con	80-26-2 470-82-6 115-95-7 3387-41-5 78-70-6 r Exposure Limit al attention in case ocurs. May cause stact lenses. Flushician	<=42% <=28% <=8% <=4% <=3% s) e of any discolung damage repeatedly w g, wash with v	1272 / 2008 AC2 FL3, SS1 SI2, SS1, EI2 FL3, ATox4, AspT1, SI2, EI2, STOT SE 3 SI2, SS1B, EI2 mfort. Observe risk if swallowed.	Number 201-265-7 207-431-5 204-116-4 222-212-4 201-134-4 c of aspiration nutes;
1,8-Cineol Linalyl acetate Sabinene Linalool (See 4. First Aid Measures General Advice: Eye Contact:	Seek medica if vomiting or Remove con contact phys Remove con physician if r	80-26-2 470-82-6 115-95-7 3387-41-5 78-70-6 r Exposure Limit al attention in case curs. May cause tact lenses. Flushician taminated clothin edness or irritation uce vomiting. Rinsted by medical projects.	<=42% <=28% <=8% <=4% <=3% s) e of any discolung damage repeatedly with windevelop. se out mouth.	1272 / 2008 AC2 FL3, SS1 SI2, SS1, EI2 FL3, ATox4, AspT1, SI2, EI2, STOT SE 3 SI2, SS1B, EI2 mfort. Observe risk if swallowed. ith water for 15 min	Number 201-265-7 207-431-5 204-116-4 222-212-4 201-134-4 c of aspiration nutes; ontact r or milk



	"Naturally the Purest"		
	wheezing, coughing, shortness of breath, or burning in the mouth, throat, or chest occur.		
5. Fire Fighting Measures			
Extinguishing Media:	SUITABLE: Foam, Dry chemical, Carbon Dioxide, B class Extinguishers NON-SUITABLE: Water Jet		
Hazardous Combustion Products:	Carbon Dioxide and Carbon Monoxide		
Fire Fighting Procedures:	When possible, prevent environmental run-off. Use self-contained breathing apparatus and protective clothing.		
Fire / Explosion Hazards:	Carbon monoxide, carbon dioxide, acrid fumes, smoke, or flammable vap may be released during oil fires. Flammable liquid and vapor. Vapors are heavier than air and may travel along surfaces to remote ignition sources and flash back.		
6. Accidental Release Measures			
Health and Safety Precautions:	Personnel involved in cleanup should wear appropriate personal protective equipment (see Section 8). Minimize exposure. Eliminate all sources of ignition and ventilate area using explosion-proof equipment.		
Measures for Cleaning and Collecting:	Absorb spill with non-combustible matter (such as detergentdo not use solvents) and transfer to containers. Clean spill area thoroughly.		
Measures for Environmental Protections:	Do NOT allow to enter the sewer or outdoor environment. Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.		
Additional Considerations for Large Spills:	Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, or diatomaceous earth in drums for waste disposal. Avoid allowing product to reach sewage system or any waterways. Inform respective authorities in case of seepage into sewage system or waterways.		
7. Handling and Storage			
General Handling:	Avoid contact with eyes, skin, mucous and clothing. Wear required PPE. Observe good hygiene guidelines and general safety practices. Do NOT eat, drink, or smoke when handling. Ensure workspace is properly ventilated. Wash hands after handling.		
Storage Conditions:	Store in tightly sealed glass container, away from heat, light, and other sources of ignition; in a well-ventilated, dry, and cool location. Keep away from strong oxidizing agents.		
8. Exposure Controls / Personal Pro	tection		
Exposure Limit:	This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region-specific regulatory bodies.		
Engineering Controls:	Extraction or global ventilation. Equipment should be grounded. Provide eyewash station.		
Environmental Exposure Controls:	Avoid discharging into sewer or environment. Do NOT eat, drink, or smoke near or after handling product.		
Personal Protective Equipment (PPE):	Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed		
Hands:	Wear suitable protective gloves (resistant to chemical agents in accordance with standard EN374) in the event of prolonged or repeated skin contact.		
Eyes:	Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN166) designed to protect against liquid splashes.		



	"Naturally the Purest"		
Skin:	Use protective clothing as necessary, such as a lab coat.		
Respiratory Protection:	Assure a well-ventilated work area – Use general face covering		
9. Physical and Chemical Properties	3		
Physical State:	Liquid		
Liquid Color:	Yellow to amber		
Odor:	Characteristic		
Molecular Weight:	No information		
Water Solubility:	Not soluble		
Boiling Point (°C):	No information		
Vapor Pressure (kPa):	No information		
Vapor Density (g/mL):	No information		
Flash Point – Liquid (°C):	>65°C		
Upper Explosive Limits:	No information		
Lower Explosive Limits:	No information		
Polymerization:	Will not occur		
Specific Gravity 25°C:	No information		
Specific Gravity 20°C:	0.915 - 0.940		
Refractive Index 20°C:	1.460 - 1.470		
10. Stability and Reactivity			
Chemical Stability:	Stable under normal conditions of use.		
Conditions to Avoid:	Keep away from heat, spark, flames, and all other sources of ignition		
Incompatible Materials:	Strong oxidizing agents and strong inorganic acids		
11. Toxicological Information			
General Information:	Product does not present an acute toxicity hazard based on known or supplied information.		
Acute Toxicity:	Not Determined		
Irritation / Sensitization:	Not Determined		
Skin Absorption:	No adverse effects with normal skin. However, potentially harmful amounts of material may be absorbed across markedly abraded skin when contact is sustained.		
Carcinogen Status:	Carcinogenicity of the mixture has not been determined. Not listed as carcinogens by IARC, US OSHA or NTP.		
12. Ecological Information			
Environmental Overview:	The environmental characteristics of this mixture have not been fully evaluated. Releases to the environment should be avoided.		
Eco-toxicity Effects:	Toxic to aquatic life with long lasting effects.		
Persistence and Degradability:	Biodegradation is expected		
Bio-accumulative Potential:	Bioaccumulation is unlikely		
Mobility in Soil:	Not Determined		
Other Adverse Effects:	Avoid exposure to marine environments and waterways		
13. Disposal Considerations			
Waste Treatment Methods:	Releases to the environment should be avoided. Review and implement appropriate technical and procedural wastewater and waste disposal measures to prevent occupational exposure or environmental releases. Waste from a spill: Contain the source of spill if it is safe to do so. Collect spill with absorbent material. Place waste in an appropriately labeled,		

July 28, 2023 Safety Data Sheet Pg. 4



	sealed container for disposal. Clean spill area thoroughly. Care should be taken to avoid environmental release.		
14. Transport Information			
ADR, IMDG, and IATA regulations.	on unless specified below. This material is regulated for transport under DOT,		
UN Number:	1169		
UN Proper Shipping Name:	Extracts, aromatic, liquid		
Transport Hazard Class(es):	Flammable Class 3		
Packing Group:	III		
Flash Point (°C):	>65°C		
Marine Pollutant:	Yes		
15. Regulatory Information			
EU Symbol:			
EU Indication of Danger:	F – Flammable		
	Xi – Irritant		
	N – Dangerous for the environment		
EU Risk Phrases:	R10 Flammable		
	R22 Harmful if swallowed		
	R36/38 Irritating to eyes and skin		
	R43 May cause sensitization by skin contact		
	R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in		
EU Safety Phrases:	the aquatic environment		
LO Salety Fillases.	S3/7/9 Keep container tightly closed in a cool, well-ventilated place		
	S16 Keep away from sources of ignition – No smoking		
	S24/25 Avoid contact with skin and eyes S26 In case of contact with eyes, rinse immediately with plenty of water and		
	seek medical advice		
	S29/56 Do not empty into drains, dispose of this material and its container		
	at hazardous or special waste collection point		
	S33 Take precautionary measures against static discharges		
	S36/37/39 Wear suitable protective clothing, gloves, and eye/face		
	protection		
	S62 If swallowed, do not induce vomiting: seek medical advice immediately		
OSHA Label:	and show this container or label where possible		
Identifying Markings in Accordance with	Warning No duty to mark/Evernat		
EC Directives / GefStoffV:	No duty to mark/Exempt		
California Proposition 65:	Not listed		
United States TSCA:	Complies		
Australia (AICS):	Not present		
EU EINECS/ELINCS List:	Complies		
16. Other Information			
Section 2 Expanded Precautionary	P240 Ground/bond container and receiving equipment.		
Statements	P241 Use explosion-proof equipment. P242 Use only non-sparking tools.		
Section 3 Expanded Classification 1272 /	AspT = Aspiration Toxicity		
	ATox = Acute Toxicity		

July 28, 2023 Safety Data Sheet Pg. 5



2008	SI = Skin Irritant	
	SS = Skin Sensitizer	
	SC = Skin Corrosion	
	AC = Aquatic Chronic	
	AA = Aquatic Acute	
	FL = Flammable Liquid	
	FS = Flammable Solid	
	EI = Eye Irritant	
	ED = Éye Damage	
	STOT SE = Specific Target Organ Toxicity - Single Exposure	
	STOT RE = Specific Target Organ Toxicity - Repeat Exposure	
	MUT = Mutagenicity	
	CAR = Carcinogenicity	
Disclaimer: The information contained herein is accurate to the best of our knowledge. Amrita Aromatherapy, Inc.® makes no warranty of any kind, express or implied, concerning the safe use of this material in your process or in combination with other substances.		
Revision Tracking		

Revision Tracking				
Revision	Date	Reason	Author	Reviewed by
V1.0	1/26/2023	Creation	AG	SS