

	"Naturally the Purest"
S	afety Data Sheet
1. Identification	•
Product Name:	Cinnamon Bark Essential Oil
Botanical/INCI:	Cinnamomum zeylanicum
Synonyms:	Ceylon Cinnamon
CAS Number:	8015-91-6
Product Uses:	Personal care, Aromatherapy
Manufacturer/Supplier:	Amrita Aromatherapy, Inc.®
Address:	1900 W. Stone Ave., Suite C Fairfield, IA 52556
Phone:	1(800)410-9651 or 1(641)472-9136
Fax:	1(641)472-8672
Emergency Contact:	Poison Control: 1(800)222-1222
2. Hazard(s) Identification	
Appearance:	Liquid
Signal Word:	Danger
Statement of Hazard:	H226 Flammable liquid and vapor H304 May be fatal if swallowed and enters airways H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation H335 May cause respiratory irritation H411 Toxic to aquatic life with long lasting effects
Precautionary Statements:	P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing/eye protection/face protection. P301+P310+P331 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting. P302+P352 IF ON SKIN: Wash with plenty of soap and water. P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312 Call a POISON CENTER or doctor/physician if you feel unwell. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention. P362 Take off contaminated clothing and wash before reuse. P370+P378 In case of fire: Use Foam, Dry chemical, Carbon Dioxide, B class Extinguishers P391 Collect spillage. P403+P233 Store in a well-ventilated place. Keep container tightly closed.



"Natural	ly the Purest"			
	local/regional/national/international regulations			
Aspiration Toxicity:	Category 1			
Skin Irritation:	Category 2			
Eye Irritation:	Category 2			
Skin Sensitization:	Category 1			
Acute Aquatic Toxicity:	Category 2			
Chronic Aquatic Toxicity:	Category 2			
Flammable Liquids:	Category 3			
Classification according to EU Directives 67/548/EEC or 1993 Section, see Section 16.		ll text of the R	-phrases mentione	d in this
Н	azards			
Symbol(s) Writing	Pictogram(s)			
Flammable liquid and vapor		•		
<ul> <li>May cause an allergic skin reaction</li> <li>May cause respiratory irritation</li> <li>Causes skin irritation</li> <li>Causes serious eye irritation</li> </ul>		•		
May be fatal if swallowed and enters airways		<b>&gt;</b>		
Toxic to aquatic life with long lasting effects	***	•		
3. Composition / Information on Ingredients	<b>V</b>			
Ingredients List: 100% Organic Cinnamon Bark Essentia				
Component	CAS Number	Weight %	Classification 1272 / 2008	REACH Number
Beta Trans Cinnamaldehyde	104-55-2	<=68%	SI2, SS1, EI2, STOT SE 3	203-213-9
Linalool	78-70-6	<=7%	SI2, SS1B, EI2	201-134-4
Beta Caryophyllene	87-44-5	<=6%	AspT1, SS1	201-746-1
Beta Trans Cinnamyl Acetate	21040-45-9	<=3%	n/a	203-121-9
Eugenol	97-53-0	<=3%	ATox4, SI2, SS1, EI2	202-589-1
d-Limonene	5989-27-5	<=2%	FL3, AspT1, SI2, SS1B, AA1, AC1	227-813-5
1,8 Cineole	470-82-6	<=1%	FL3, AspT1,	207-431-5
1,0 Olifebile			SI2, SS1, AC2	



Extinguishing Media:  SUITABLE: Foam, Dry chemical, Carbon Dioxide, B class Extinguishers NON-SUITABLE: Water Jet Carbon Dioxide and Carbon Monoxide Fire Fighting Procedures: When possible, prevent environmental run-off. Use self-contained breathing apparatus and protective clothing.  Fire / Explosion Hazards: Carbon monoxide, carbon dioxide, acrid furnes, smoke, or flammable vapor may be released during oil fires. Flammable liquid and vapor. Vapors are heavier than air and may travel along surfaces to remote ignition sources and flash back.  6. Accidental Release Measures Health and Safety Precautions: Personnel involved in cleanup should wear appropriate personal protective equipment (see Section 8). Minimize exposure. Eliminate all sources of ignition and ventilate area using explosion-proof equipment.  Measures for Cleaning and Collecting: Absorb spill with non-combustible matter (such as detergent—do not use solvents) and transfer to containers. Clean spill area thoroughly.  Measures for Environmental Protections: Do NOT allow to enter the sewer or outdoor environment. Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.  Additional Considerations for Large Spills: Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermicuitle, or distonaceous earth in drums for waste disposal. Avoid allowing product to reach sewage system or any waterways. Inform respective authorities in case of seepage into sewage system or waterways.  7. Handling and Storage  General Handling:  Avoid contact with eyes, skin, mucous and clothing. Wear required PPE. Observe good hygiene guidelines and general safety practices. Do NOT eat, drink, or smoke when handling. Ensure workspace is properly ventilated. Wash hands after handling.		"Naturally t	he Purest"			
(See Section 8 for Exposure Limits)  4. First Aid Measures  General Advice: Seek medical attention in case of any discomfort. Observe risk of aspiration if vomiting occurs. May cause lung damage if swallowed.  Eye Contact: Remove contact lenses. Flush repeatedly with water for 15 minutes; contact physician Femove contaminated clothing, wash with water and soap. Contact physician if redness or irritation develop.  Ingestion: Do NOT induce vomiting, Rinse out mouth. Do NOT give water or milk unless directed by medical professional. Contact POISON CENTER or doctor immediately.  Inhalation: Remove to fresh air and contact a physician if symptoms such as wheezing, coughing, shortness of breath, or burning in the mouth, throat, or chest occur.  5. Fire Fighting Measures  Extinguishing Media: SUITABLE: Foam, Dry chemical, Carbon Dioxide, B class Extinguishers NON-SUITABLE: Water Jet Hazardous Combustion Products: Carbon Dioxide and Carbon Monoxide When possible, prevent environmental run-off. Use self-contained breathing apparatus and protective clothing.  Fire / Explosion Hazards: Carbon monoxide, carbon dioxide, acrid furnes, smoke, or fammable vapor are heavier than air and may travel along surfaces to remote ignition sources and lash back.  6. Accidental Release Measures  Health and Safety Precautions: Personnel involved in cleanup should wear appropriate personal protective equipment (see Section 8). Minimize exposure. Eliminate all sources of ignition and venitale area using explosion-prote quipment.  Measures for Environmental Protections: Do NOT allow to enter the sever or outdoor environment. Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.  Additional Considerations for Large Spills: Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculitie, or dialonnaceous earth in drums in a paper propriate personal protective equipment.  Contain and control the leaks or spills with non-comb	Para Cymene		99-87-6	<=1%		202-796-7
General Advice: Seek medical attention in case of any discomfort. Observe risk of aspiration if vomiting occurs. May cause lung damage if swallowed.  Eye Contact: Remove contact lenses. Flush repeatedly with water for 15 minutes; contact physician Remove contaminated clothing, wash with water and soap. Contact physician if redness or irritation develop.  Ingestion: Do NOT induce vomiting. Rinse out mouth. Do NOT give water or milk unless directed by medical professional. Contact POISON CENTER or doctor immediately.  Inhalation: Remove to fresh air and contact a physician if symptoms such as wheezing, coughing, shortness of breath, or burning in the mouth, throat, or chest occur.  5. Fire Fighting Measures  Extinguishing Media: SUITABLE: Foam, Dry chemical, Carbon Dioxide, B class Extinguishers NON-SUITABLE: Water Jet  Hazardous Combustion Products: Carbon Dioxide and Carbon Monoxide  When possible, prevent environmental run-off. Use self-contained breathing apparatus and protective clothing.  Fire / Explosion Hazards: Carbon monoxide, carbon dioxide, acrid fumes, smoke, or flammable vapor may be released during oil fires. Flammable liquid and vapor. Vapors are heavier than air and may travel along surfaces to remote ignition sources and flash back.  6. Accidental Release Measures  Health and Safety Precautions: Personnel involved in cleanup should wear appropriate personal protective equipment (see Section 8). Minimize exposure. Eliminate all sources of ignition and ventilate area using explosion-proof equipment.  Measures for Cleaning and Collecting: Do NOT allow to enter the sewer or outdoor environment. Place waste in an appropriately labeled, sealed containers. Clean spill area throroughly.  Measures for Environmental Protections: Do NOT allow to enter the sewer or outdoor environment. Place waste in an appropriately labeled, sealed containers. Clean spill area throroughly.  Measures for Environmental Protections: OND allow to enter the sewer or outdoor environment. Place waste in an appropriately labeled,	Alpha Pinene		80-56-8	<=1%	SI2, SS1, ED1,	201-291-9
Seek medical attention in case of any discomfort. Observe risk of aspiration if vorniting occurs. May cause lung damage if swallowed.	(Sec	Section 8 for	Exposure Limi	ts)		
If vomiting occurs. May cause lung damage if swallowed.	4. First Aid Measures					
Contact physician  Remove contaminated clothing, wash with water and soap. Contact physician if redness or irritation develop.  Ingestion:  Do NOT induce vomiting. Rinse out mouth. Do NOT give water or milk unless directed by medical professional. Contact POISON CENTER or doctor immediately.  Remove to fresh air and contact a physician if symptoms such as wheezing, coughing, shortness of breath, or burning in the mouth, throat, or chest occur.  5. Fire Fighting Measures  Extinguishing Media:  SUITABLE: Foam, Dry chemical, Carbon Dioxide, B class Extinguishers NON-SUITABLE: Water Jet Hazardous Combustion Products:  Carbon Dioxide and Carbon Monoxide  When possible, prevent environmental run-off. Use self-contained breathing apparatus and protective clothing.  Fire / Explosion Hazards:  Carbon monoxide, carbon dioxide, acrid furnes, smoke, or flammable vapor may be released during oil fires. Flammable liquid and vapor. Vapors are heavier than air and may travel along surfaces to remote ignition sources and flash back.  6. Accidental Release Measures  Health and Safety Precautions:  Personnel involved in cleanup should wear appropriate personal protective equipment (see Section 8). Minimize exposure. Eliminate all sources of ignition and ventilate area using explosion-proof equipment.  Measures for Cleaning and Collecting:  Absorb spill with non-combustible matter (such as detergent—do not use solvents) and transfer to containers. Clean spill area thoroughly.  Measures for Environmental Protections:  On NOT allow to enter the sewer or outdoor environment. Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.  Additional Considerations for Large Spills:  On NOT allow to enter the sewer or outdoor environment. Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.  Ontain and control the leaks or spills with non-combustible absorbent materials such as sank or spills with non-co	General Advice:					k of aspiration
Ingestion:  Do NOT induce vomiting. Rinse out mouth. Do NOT give water or milk unless directed by medical professional. Contact POISON CENTER or doctor immediately.  Remove to fresh air and contact a physician if symptoms such as wheezing, coughing, shortness of breath, or burning in the mouth, throat, or chest occur.  5. Fire Fighting Measures  Extinguishing Media:  SUITABLE: Foam, Dry chemical, Carbon Dioxide, B class Extinguishers NON-SUITABLE: Water Jet  Hazardous Combustion Products:  Carbon Dioxide and Carbon Monoxide  Fire Fighting Procedures:  When possible, prevent environmental run-off. Use self-contained breathing apparatus and protective clothing.  Fire / Explosion Hazards:  Carbon monoxide, carbon dioxide, acrid fumes, smoke, or flammable vapor may be released during oil fires. Flammable liquid and vapor. Vapors are heavier than air and may travel along surfaces to remote ignition sources and flash back.  6. Accidental Release Measures  Health and Safety Precautions:  Personnel involved in cleanup should wear appropriate personal protective equipment (see Section 8). Minimize exposure. Eliminate all sources of ignition and ventilate area using explosion-proof equipment.  Measures for Cleaning and Collecting:  Absorb spill with non-combustible matter (such as detergent—do not use solvents) and transfer to containers. Clean spill area thoroughly.  Measures for Environmental Protections:  Do NOT allow to enter the sewer or outdoor environment. Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.  Additional Considerations for Large Spills:  Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, or diatomaceous earth in drums for waste disposal. Avoid allowing product to reach sewage system or any waterways. Inform respective authorities in case of seepage into sewage system or waterways. Inform respective authorities in case of seepage into sewage system or waterways. Inf	Eye Contact:			n repeatedly v	with water for 15 mi	nutes;
Unless directed by medical professional. Contact POISON CENTER or doctor immediately.  Inhalation:  Remove to fresh air and contact a physician if symptoms such as wheezing, coughing, shortness of breath, or burning in the mouth, throat, or chest occur.  S. Fire Fighting Measures  Extinguishing Media:  SUITABLE: Foam, Dry chemical, Carbon Dioxide, B class Extinguishers NON-SUITABLE: Water Jet  Hazardous Combustion Products:  Carbon Dioxide and Carbon Monoxide  When possible, prevent environmental run-off. Use self-contained breathing apparatus and protective clothing.  Fire / Explosion Hazards:  Carbon monoxide, carbon dioxide, acrid furnes, smoke, or flammable vapor may be released during oil fires. Flammable liquid and vapor. Vapors are heavier than air and may travel along surfaces to remote ignition sources and flash back.  6. Accidental Release Measures  Health and Safety Precautions:  Personnel involved in cleanup should wear appropriate personal protective equipment (see Section 8). Minimize exposure. Eliminate all sources of ignition and ventilate area using explosion-proof equipment.  Absorb spill with non-combustible matter (such as detergent—do not use solvents) and transfer to containers. Clean spill area thoroughly.  Measures for Environmental Protections:  Do NOT allow to enter the sewer or outdoor environment. Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.  Additional Considerations for Large Spills:  Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, or diatomaceous earth in drums for waste disposal. Avoid environmental release.  Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, or diatomaceous earth in drums for waste disposal. Avoid allowing product to reach sewage system or any waterways. Inform respective authorities in case of seepage into sewage system or waterways.  7. Handling and Sto	Skin Contact:				water and soap. Co	ontact
wheezing, coughing, shortness of breath, or burning in the mouth, throat, or chest occur.  5. Fire Fighting Measures  Extinguishing Media:  SUITABLE: Foam, Dry chemical, Carbon Dioxide, B class Extinguishers NON-SUITABLE: Water Jet  Hazardous Combustion Products:  Carbon Dioxide and Carbon Monoxide  When possible, prevent environmental run-off. Use self-contained breathing apparatus and protective clothing.  Carbon monoxide, carbon dioxide, acrid fumes, smoke, or flammable vapor may be released during oil fires. Flammable liquid and vapor. Vapors are heavier than air and may travel along surfaces to remote ignition sources and flash back.  6. Accidental Release Measures  Health and Safety Precautions:  Personnel involved in cleanup should wear appropriate personal protective equipment (see Section 8). Minimize exposure. Eliminate all sources of ignition and ventilate area using explosion-proof equipment.  Measures for Cleaning and Collecting:  Absorb spill with non-combustible matter (such as detergent—do not use solvents) and transfer to containers. Clean spill area thoroughly.  Do NOT allow to enter the sewer or outdoor environment. Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.  Additional Considerations for Large Spills:  Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, verniculitie, or diatomaceous earth in drums for waste disposal. Avoid allowing product to reach sewage system or any waterways. Inform respective authorities in case of seepage into sewage system or waterways.  7. Handling and Storage  General Handling:  Avoid contact with eyes, skin, mucous and clothing. Wear required PPE. Observe good hygiene guidelines and general safety practices. Do NOT eat, drink, or smoke when handling. Ensure workspace is properly ventilated. Wash hands after handling.		unless directed by medical professional. Contact POISON CENTER or				NTER or
SulTABLE: Foam, Dry chemical, Carbon Dioxide, B class Extinguishers NON-SulTABLE: Water Jet	Inhalation:	wheezing, coughing, shortness of breath, or burning in the mouth, throat, or				
Hazardous Combustion Products:  Carbon Dioxide and Carbon Monoxide  Fire Fighting Procedures:  When possible, prevent environmental run-off. Use self-contained breathing apparatus and protective clothing.  Carbon monoxide, carbon dioxide, acrid fumes, smoke, or flammable vapor may be released during oil fires. Flammable liquid and vapor. Vapors are heavier than air and may travel along surfaces to remote ignition sources and flash back.  6. Accidental Release Measures  Health and Safety Precautions:  Personnel involved in cleanup should wear appropriate personal protective equipment (see Section 8). Minimize exposure. Eliminate all sources of ignition and ventilate area using explosion-proof equipment.  Measures for Cleaning and Collecting:  Absorb spill with non-combustible matter (such as detergent—do not use solvents) and transfer to containers. Clean spill area thoroughly.  Measures for Environmental Protections:  Do NOT allow to enter the sewer or outdoor environment. Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.  Additional Considerations for Large Spills:  Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, or diatomaceous earth in drums for waste disposal. Avoid allowing product to reach sewage system or any waterways. Inform respective authorities in case of seepage into sewage system or waterways. Inform respective authorities in case of seepage into sewage system or waterways.  7. Handling and Storage  General Handling:  Avoid contact with eyes, skin, mucous and clothing. Wear required PPE. Observe good hygiene guidelines and general safety practices. Do NOT eat, drink, or smoke when handling. Ensure workspace is properly ventilated. Wash hands after handling.	5. Fire Fighting Measures					
Fire Fighting Procedures:  When possible, prevent environmental run-off. Use self-contained breathing apparatus and protective clothing.  Carbon monoxide, carbon dioxide, acrid fumes, smoke, or flammable vapor may be released during oil fires. Flammable liquid and vapor. Vapors are heavier than air and may travel along surfaces to remote ignition sources and flash back.  6. Accidental Release Measures  Health and Safety Precautions:  Personnel involved in cleanup should wear appropriate personal protective equipment (see Section 8). Minimize exposure. Eliminate all sources of ignition and ventilate area using explosion-proof equipment.  Measures for Cleaning and Collecting:  Absorb spill with non-combustible matter (such as detergent—do not use solvents) and transfer to containers. Clean spill area thoroughly.  Measures for Environmental Protections:  Do NOT allow to enter the sewer or outdoor environment. Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.  Additional Considerations for Large Spills:  Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, or diatomaceous earth in drums for waste disposal. Avoid allowing product to reach sewage system or any waterways. Inform respective authorities in case of seepage into sewage system or waterways.  7. Handling and Storage  General Handling:  Avoid contact with eyes, skin, mucous and clothing. Wear required PPE. Observe good hygiene guidelines and general safety practices. Do NOT eat, drink, or smoke when handling. Ensure workspace is properly ventilated. Wash hands after handling.	Extinguishing Media:	· · · · · · · · · · · · · · · · · · ·				nguishers
apparatus and protective clothing.  Carbon monoxide, carbon dioxide, acrid fumes, smoke, or flammable vapor may be released during oil fires. Flammable liquid and vapor. Vapors are heavier than air and may travel along surfaces to remote ignition sources and flash back.  6. Accidental Release Measures  Health and Safety Precautions:  Personnel involved in cleanup should wear appropriate personal protective equipment (see Section 8). Minimize exposure. Eliminate all sources of ignition and ventilate area using explosion-proof equipment.  Measures for Cleaning and Collecting:  Absorb spill with non-combustible matter (such as detergent—do not use solvents) and transfer to containers. Clean spill area thoroughly.  Measures for Environmental Protections:  Do NOT allow to enter the sewer or outdoor environment. Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.  Additional Considerations for Large Spills:  Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, or diatomaceous earth in drums for waste disposal. Avoid allowing product to reach sewage system or any waterways. Inform respective authorities in case of seepage into sewage system or waterways.  7. Handling and Storage  General Handling:  Avoid contact with eyes, skin, mucous and clothing. Wear required PPE. Observe good hygiene guidelines and general safety practices. Do NOT eat, drink, or smoke when handling. Ensure workspace is properly ventilated. Wash hands after handling.	<b>Hazardous Combustion Products:</b>					
may be released during oil fires. Flammable liquid and vapor. Vapors are heavier than air and may travel along surfaces to remote ignition sources and flash back.  6. Accidental Release Measures  Health and Safety Precautions:  Personnel involved in cleanup should wear appropriate personal protective equipment (see Section 8). Minimize exposure. Eliminate all sources of ignition and ventilate area using explosion-proof equipment.  Measures for Cleaning and Collecting:  Absorb spill with non-combustible matter (such as detergent—do not use solvents) and transfer to containers. Clean spill area thoroughly.  Do NOT allow to enter the sewer or outdoor environment. Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.  Additional Considerations for Large Spills:  Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, or diatomaceous earth in drums for waste disposal. Avoid allowing product to reach sewage system or any waterways. Inform respective authorities in case of seepage into sewage system or waterways.  7. Handling and Storage  General Handling:  Avoid contact with eyes, skin, mucous and clothing. Wear required PPE. Observe good hygiene guidelines and general safety practices. Do NOT eat, drink, or smoke when handling. Ensure workspace is properly ventilated. Wash hands after handling.	Fire Fighting Procedures:					
Health and Safety Precautions:  Personnel involved in cleanup should wear appropriate personal protective equipment (see Section 8). Minimize exposure. Eliminate all sources of ignition and ventilate area using explosion-proof equipment.  Absorb spill with non-combustible matter (such as detergent—do not use solvents) and transfer to containers. Clean spill area thoroughly.  Do NOT allow to enter the sewer or outdoor environment. Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.  Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, or diatomaceous earth in drums for waste disposal. Avoid allowing product to reach sewage system or any waterways. Inform respective authorities in case of seepage into sewage system or waterways.  T. Handling and Storage  Avoid contact with eyes, skin, mucous and clothing. Wear required PPE. Observe good hygiene guidelines and general safety practices. Do NOT eat, drink, or smoke when handling. Ensure workspace is properly ventilated. Wash hands after handling.	Fire / Explosion Hazards:	may be released during oil fires. Flammable liquid and vapor. Vapors are heavier than air and may travel along surfaces to remote ignition sources				
equipment (see Section 8). Minimize exposure. Eliminate all sources of ignition and ventilate area using explosion-proof equipment.  Measures for Cleaning and Collecting:  Absorb spill with non-combustible matter (such as detergent—do not use solvents) and transfer to containers. Clean spill area thoroughly.  Do NOT allow to enter the sewer or outdoor environment. Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.  Additional Considerations for Large Spills:  Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, or diatomaceous earth in drums for waste disposal. Avoid allowing product to reach sewage system or any waterways. Inform respective authorities in case of seepage into sewage system or waterways.  7. Handling and Storage  General Handling:  Avoid contact with eyes, skin, mucous and clothing. Wear required PPE. Observe good hygiene guidelines and general safety practices. Do NOT eat, drink, or smoke when handling. Ensure workspace is properly ventilated. Wash hands after handling.	6. Accidental Release Measures					
solvents) and transfer to containers. Clean spill area thoroughly.  Measures for Environmental Protections:  Do NOT allow to enter the sewer or outdoor environment. Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.  Additional Considerations for Large Spills:  Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, or diatomaceous earth in drums for waste disposal. Avoid allowing product to reach sewage system or any waterways. Inform respective authorities in case of seepage into sewage system or waterways.  7. Handling and Storage  General Handling:  Avoid contact with eyes, skin, mucous and clothing. Wear required PPE. Observe good hygiene guidelines and general safety practices. Do NOT eat, drink, or smoke when handling. Ensure workspace is properly ventilated. Wash hands after handling.	Health and Safety Precautions:	equipment (see Section 8). Minimize exposure. Eliminate all sources of				
an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.  Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, or diatomaceous earth in drums for waste disposal. Avoid allowing product to reach sewage system or any waterways. Inform respective authorities in case of seepage into sewage system or waterways.  7. Handling and Storage  General Handling:  Avoid contact with eyes, skin, mucous and clothing. Wear required PPE. Observe good hygiene guidelines and general safety practices. Do NOT eat, drink, or smoke when handling. Ensure workspace is properly ventilated. Wash hands after handling.	Measures for Cleaning and Collecting:	Absorb spill with non-combustible matter (such as detergentdo not use				
materials such as sand, earth, vermiculite, or diatomaceous earth in drums for waste disposal. Avoid allowing product to reach sewage system or any waterways. Inform respective authorities in case of seepage into sewage system or waterways.  7. Handling and Storage  Avoid contact with eyes, skin, mucous and clothing. Wear required PPE. Observe good hygiene guidelines and general safety practices. Do NOT eat, drink, or smoke when handling. Ensure workspace is properly ventilated. Wash hands after handling.	Measures for Environmental Protections:	an appropriately labeled, sealed container for disposal. Care should be				
General Handling:  Avoid contact with eyes, skin, mucous and clothing. Wear required PPE.  Observe good hygiene guidelines and general safety practices. Do NOT eat, drink, or smoke when handling. Ensure workspace is properly ventilated. Wash hands after handling.	Additional Considerations for Large Spills:	materials such as sand, earth, vermiculite, or diatomaceous earth in drums for waste disposal. Avoid allowing product to reach sewage system or any waterways. Inform respective authorities in case of seepage into sewage				
Observe good hygiene guidelines and general safety practices. Do NOT eat, drink, or smoke when handling. Ensure workspace is properly ventilated. Wash hands after handling.	7. Handling and Storage					
Storage Conditions: Store in tightly sealed glass container, away from heat, light, and other	General Handling:	Observe good hygiene guidelines and general safety practices. Do NOT eat, drink, or smoke when handling. Ensure workspace is properly				s. Do NOT
The state of the s	Storage Conditions:	Store in tightl	y sealed glass co	ontainer, awa	y from heat, light, a	nd other

July 28, 2023 Safety Data Sheet Pg. 3



	"Naturally the Purest"			
	sources of ignition; in a well-ventilated, dry and cool location. Keep away from strong oxidizing agents.			
8. Exposure Controls / Personal Pro	otection			
Exposure Limit:	This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region-specific regulatory bodies.			
Engineering Controls:	Extraction or global ventilation. Equipment should be grounded. Provide eyewash station.			
Environmental Exposure Controls:	Avoid discharging into sewer or environment. Do NOT eat, drink, or smoke near or after handling product.			
Personal Protective Equipment (PPE):	Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed			
Hands:	Wear suitable protective gloves (resistant to chemical agents in accordance with standard EN374) in the event of prolonged or repeated skin contact.			
Eyes:	Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN166) designed to protect against liquid splashes.			
Skin:	Use protective clothing as necessary, such as a lab coat.			
Respiratory Protection:	Assure a well-ventilated work area – Use general face covering			
9. Physical and Chemical Properties	3			
Physical State:	Liquid			
Liquid Color:	Light yellow-brown translucent			
Odor:	Sweet, warm, spicy aroma			
Molecular Weight:	No information			
Water Solubility:	Not soluble			
Boiling Point (°C):	No information			
Vapor Pressure (kPa):	No information			
Vapor Density (g/mL):	No information			
Flash Point – Liquid (°C):	70°C			
Upper Explosive Limits:	No information			
Lower Explosive Limits:	No information			
Polymerization:	Will not occur			
Specific Gravity 25°C:	No information			
Specific Gravity 20°C:	1.0 – 1.05			
Refractive Index 20°C:	1.572 – 1.591			
10. Stability and Reactivity	Takan a marana			
Chemical Stability:	Stable under normal conditions of use.			
Conditions to Avoid:	Keep away from heat, spark, flames and all other sources of ignition			
Incompatible Materials:	Strong oxidizing agents and strong inorganic acids			
11. Toxicological Information				
General Information:	Product does not present an acute toxicity hazard based on known or supplied information.			
Acute Toxicity:	Not Determined			
Irritation / Sensitization:	Not Determined			
Skin Absorption:	No adverse effects with normal skin. However, potentially harmful amounts of material may be absorbed across markedly abraded skin when contact is sustained.			

July 28, 2023 Safety Data Sheet Pg. 4



	"Naturally the Purest"			
Carcinogen Status:	Carcinogenicity of the mixture has not been determined. Not listed as carcinogens by IARC, US OSHA or NTP.			
12. Ecological Information				
Environmental Overview:	The environmental characteristics of this mixture have not been fully evaluated. Releases to the environment should be avoided.			
Eco-toxicity Effects:	Toxic to aquatic organisms; may cause long-term adverse effects in the aquatic environment.			
Persistence and Degradability:	Biodegradation is expected			
Bio-accumulative Potential:	Bioaccumulation is unlikely			
Mobility in Soil:	Not Determined			
Other Adverse Effects:	Avoid exposure to marine environments and waterways			
13. Disposal Considerations	The solution of the solution o			
Waste Treatment Methods:	Releases to the environment should be avoided. Review and implement appropriate technical and procedural wastewater and waste disposal measures to prevent occupational exposure or environmental releases. Waste from a spill: Contain the source of spill if it is safe to do so. Collect spill with absorbent material. Place waste in an appropriately labeled, sealed container for disposal. Clean spill area thoroughly. Care should be taken to avoid environmental release.			
14. Transport Information				
The following refers to all modes of transpor ADR, IMDG, and IATA regulations.	rtation unless specified below. This material is regulated for transport under DOT,			
UN Number:	1169			
UN Proper Shipping Name:	Extracts, aromatic, liquid			
Transport Hazard Class(es):	Flammable Class 3			
Packing Group:	III			
Flash Point (°C):	70°C			
Marine Pollutant:	Yes			
15. Regulatory Information				
EU Symbol:				
EU Indication of Danger:	Xn – Hazard F – Flammable Xi – Irritant N – Dangerous for the environment			
EU Risk Phrases:	R10 – Flammable. R36 – Irritating to eyes. R37 – Irritating to respiratory system. R38 – Irritating to skin. R51/53 – Toxic to aquatic organisms, may cause long-term adverse effectin the aquatic environment.			
EU Safety Phrases:	S 7/9 – Keep container tightly closed and in a well-ventilated place. S 16 – Keep away from sources of ignition – No smoking. S 24/25 – Avoid contact with skin and eyes S 26 – In case of contact with eyes, rinse immediately with plenty of water and seek medical advice			



	•		
	S 27/28 – After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of (to be specified by the manufacturer).  S 29/56 – Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.		
	S 36/37/39 – Wear suitable protective clothing, gloves, and eye/face protection.		
	S 61 – Avoid release to the environment. Refer to special instructions/safety data sheet		
	S 62 – If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label where possible		
	S 63 – In case of accident by inhalation: remove casualty to fresh air and keep at rest.		
OSHA Label:	Danger		
Identifying Markings in Accordance with EC Directives / GefStoffV:	No duty to mark/Exempt		
California Proposition 65:	Not listed		
United States TSCA:	Complies		
Australia (AICS):	Not present		
EU EINECS/ELINCS List:	Complies		
16. Other Information			
Section 2 Expanded Precautionary	P261 Avoid breathing dust/fume/gas/mist/vapors/spray.		
Statements	P264 Wash hands thoroughly after handling.		
	P271 Use only outdoors or in a well-ventilated area.		
	P272 Contaminated work clothing should not be allowed out of the		
	workplace.		
	P363 Wash contaminated clothing before reuse.		
Section 3 Expanded Classification 1272 / 2008	Beta Trans Cinnamaldehyde – Skin Irritant 2, Skin Sensitizer 1, Eye Irritant 2, STOT SE 3 (Specific Target Organ Toxicity – Single Exposure – Respiratory)		
	Linalool – Skin Irritant 2, Skin Sensitizer 1B, Eye Irritant 2		
	Beta Caryophyllene – Aspiration Toxicity 1, Skin Sensitizer 1		
	Eugenol – Acute Toxicity 4, Skin Irritant 2, Eye Irritant 2		
	d-Limonene – Flammable Liquid 3, Aspiration Toxicity 1, Skin Irritant 2, Skin Sensitizer 1B, Aquatic Acute 1, Aquatic Chronic 1		
	1,8 cineole – Flammable Liquid 3, Aspiration Toxicity 1, Skin Irritant 2, Skin Sensitizer 1, Aquatic Chronic 2		
	Alpha Phellandrene – Flammable Liquid 3, Aspiration Toxicity 1		
	Para Cymene – Flammable Liquid 3, Aspiration Toxicity 1, Aquatic Chronic 2		
	Alpha Pinene – Flammable Liquid 3, Aspiration Toxicity 1, Skin Irritant 2, Skin Sensitizer 1, Eye Damage 1, Eye Irritant 2, Aquatic Acute 1, Aquatic Chronic 1		
Disclaimer: The information contained herein i	s accurate to the best of our knowledge. Amrita Aromatherapy, Inc. ® makes		

**Disclaimer:** The information contained herein is accurate to the best of our knowledge. Amrita Aromatherapy, Inc.® makes no warranty of any kind, express or implied, concerning the safe use of this material in your process or in combination with other substances.

Revision Tracking					
Revision	Date	Reason	Author	Reviewed by	
V1.0	2/23/2022	Creation	SS	AG	
V1.1	9/1/2022	Edit	AG	SS	

Amrita Aromatherapy, Inc.® | 1900 W. Stone Ave. Suite C, Fairfield, IA 52556 | Fax: 641-472-8672 Telephone: 1-800-410-9651 | E-Mail: <a href="mailto:info@amrita.net">info@amrita.net</a> | Web: <a href="mailto:www.amrita.net">www.amrita.net</a>

July 28, 2023 Safety Data Sheet Pg. 6

