

Safety Data Sheet			
1. Identification	utu Oncot		
Product Name:	Cinnamon Leaf Organic Essential Oil		
Botanical/INCI:	Cinnamomum zeylanicum		
Synonyms:	n/a		
CAS Number:	8015-91-6		
Product Uses:	Personal care, Aromatherapy		
Manufacturer/Supplier:	Amrita Aromatherapy, Inc.®		
Address:	1900 W. Stone Ave., Suite C Fairfield, IA 52556		
Phone:	1(800)410-9651 or 1(641)472-9136		
Fax:	1(641)472-8672		
Emergency Contact:	Poison Control: 1(800)222-1222		
2. Hazard(s) Identification			
Appearance:	Liquid		
Signal Word:	Danger		
Statement of Hazard:	H304 May be fatal if swallowed and enters airways H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation		
	H410 Very toxic to the aquatic environment with long lasting effects P261 Avoid breathing dust/fume/gas/mist/vapors/spray.		
Precautionary Statements:	P264 Wash hands thoroughly after handling. P270 Do not eat, drink, or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing/eye protection/face protection. P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. P302+P352 IF ON SKIN: Wash with plenty of soap and water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention. P362 Take off contaminated clothing and wash before reuse. P501 Dispose of contents/container with local/regional/national/international regulations		
Aspiration Toxicity:	Category 1		
Skin Irritation:	Category 2		
Skin Sensitization:	Category 1		
Acute Aquatic Toxicity:	Category 1		
Chronic Aquatic Toxicity:	Category 2		
Flammable Liquids:	Category 3		
· ····································	U- / -		



Classification according to EU Directives 67/548		the Purest" 45/EC. For the ful	I text of the R	-phrases mentione	d in this
Section, see Section 16.	Haz	ards			
Symbol(s) Writing	1102	Pictogram(s)			
 May be fatal if swallowed and enters a May cause an allergic skin reaction 	airways	(!)	•		
Causes skin irritationCauses serious eye irritation			•		
 Acute hazard to the aquatic environme Chronic hazard to the aquatic environ 		***	•		
3. Composition / Information on Ing					
Ingredients List: 100% Organic Cinnamon Le Component	eaf Essential C	CAS Number	Weight %	Classification 1272 / 2008	REACH Number
Eugenol		97-53-0	<=78%	ATox4, SI2, SS1, EI2	202-589-1
Beta Caryophyllene		87-44-5	<=3%	AspT1, SS1	201-746-1
Linalool		78-70-6	<=2%	SI2, SSB, EI2	201-134-4
Eugenyl Acetate		93-28-7	<=2%	ATox4	202-235-6
2-hexyl-trans-cinnamaldehyde		364364-06-7	<=2%	SS1, AA1, AC2	202-983-3
Trans-Cinnamic Acid		140-10-3	<=1%	SI2, EI2, STOT SE 3	205-398-1
Alpha Phellandrene		99-83-2	<=1%	FL3, AspT1	202-792-5
Alpha Pinene		80-56-8	<=1%	FL3, AspT1, SI2, SS1, ED1, EI2, AA1, AC1	201-291-9
Para Cymene		99-87-6	<=1%	FL3, AspT1, AC2	202-796-7
	e Section 8 for	r Exposure Limit	s)		
4. First Aid Measures					
General Advice:	Seek medical attention in case of any discomfort. Observe risk of aspiration if vomiting occurs. May cause lung damage if swallowed.				
Eye Contact:	Remove contact lenses. Flush repeatedly with water for 15 minutes; contact physician				
Skin Contact:	Remove contaminated clothing, wash with water and soap. Contact physician if redness or irritation develop.				
Ingestion:	Do NOT induce vomiting. Rinse out mouth. Do NOT give water or milk unless directed by medical professional. Contact POISON CENTER or doctor immediately.				
Inhalation:	Remove to fresh air and contact a physician if symptoms such as wheezing, coughing, shortness of breath, or burning in the mouth, throat, or				



chest occur. 5. Fire Fighting Measures Extinguishing Media: SUITABLE: Foam, Dry chemical, Carbon Dioxide, B class Extinguishers NON-SUITABLE: Water Jet Carbon Dioxide and Carbon Monoxide Fire Fighting Procedures: When possible, prevent environmental run-off. Use self-contained breathing apparatus and protective clothing. Fire / Explosion Hazards: Carbon monoxide, carbon dioxide, acrid furnes, smoke, or flammable vapor may be released during oil fires. Flammable liquid and vapor. Vapors are heavier than air and may travel along surfaces to remote ignition sources and flash back. 6. Accidental Release Measures Health and Safety Precautions: Personnel involved in cleanup should wear appropriate personal protective equipment (see Section 8). Minimize exposure. Eliminate all sources of ignition and ventitate area using explosion-proof equipment. Measures for Cleaning and Collecting: Absorb spill with non-combustible matter (such as detergent—do not use solvents) and transfer to containers. Clean spill area thoroughly. Measures for Environmental Protections: Do NOT allow to enter the sewer or outdoor environment. Place waste in appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release. Additional Considerations for Large Spills: Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, or diatomaceous earth in drums for waste disposal. Avoid allowing product to reach sewage system or any waterways. Inform respective authorities in case of seepage into sewage system or waterways. 7. Handling and Storage General Handling: Avoid contact with eyes, skin, mucous and clothing. Wear required PPE. Observe good hygiene quidelines and general safety practices. Do NOT eat, drink, or smoke when handing. Ensure workspace is properly ventilated. Wash hands after handling. Ensure workspace is properly ventilated. Wash hands after handling. Storage Conditions: Stora in lightly sealed glass container, away fr		"Naturally the Purest"		
SUITABLE: Foam, Dry chemical, Carbon Dioxide, B class Extinguishers NON-SUITABLE: Water Jet		chest occur.		
SUITABLE: Foam, Dry chemical, Carbon Dioxide, B class Extinguishers NON-SUITABLE: Where Jet Hazardous Combustion Products: Carbon Dioxide and Carbon Monoxide Fire Fighting Procedures: When possible, prevent environmental run-off. Use self-contained breathing apparatus and protective clothing. Fire / Explosion Hazards: Carbon mioxide, acrbon dioxide, acrid furnes, smoke, or flammable vapor may be released during oil fires. Flammable liquid and vapor. Vapors are heavier than air and may travel along surfaces to remote ignition sources and flash back. For some involved in cleanup should wear appropriate personal protective equipment (see Section 8). Minimize exposure. Eliminate all sources of ignition and ventilate area using explosion-proof equipment. Absorb spill with non-combustible matter (such as detergent—do not use solvents) and transfer to containers. Clean spill area thoroughly. Measures for Environmental Protections:	5. Fire Fighting Measures			
Fire Fighting Procedures: When possible, prevent environmental run-off. Use self-contained breathing apparatus and protective dothing. Carbon monoxide, carbon dioxide, acrid fumes, smoke, or flammable vapor may be released during oil fires. Flammable liquid and vapor, Vapors are heavier than air and may travel along surfaces to remote ignition sources and flash back. 6. Accidental Release Measures Health and Safety Precautions: Personnel involved in cleanup should wear appropriate personal protective equipment (see Section 8). Minimize exposure. Eliminate all sources of ignition and ventilate area using explosion-proof equipment. Measures for Cleaning and Collecting: Absorb spill with non-combustible matter (such as detergent—do not use solvents) and transfer to containers. Clean spill area throroughly. Measures for Environmental Protections: Do NOT allow to enter the sewer or outdoor environment. Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release. Additional Considerations for Large Spills: Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, or distornaceous earth in drums for waste disposal. Avoid allowing product to reach sewage system or any waterways. Inform respective authorities in case of seepage into sewage system or waterways. Inform respective authorities in case of seepage into sewage system or waterways. Inform respective authorities in case of seepage into sewage system or waterways. Inform respective authorities in case of seepage into sewage system or waterways. Inform respective authorities in case of seepage into sewage system or any waterways. Inform respective authorities in case of seepage into sewage system or any waterways. Inform respective authorities in case of seepage into sewage system or into water wate		· · · · · · · · · · · · · · · · · · ·		
apparatus and protective clothing.	Hazardous Combustion Products:	Carbon Dioxide and Carbon Monoxide		
may be released during oil fires. Flammable liquid and vapor. Vapors are heavier than air and may travel along surfaces to remote ignition sources and flash back. 6. Accidental Release Measures Health and Safety Precautions: Personnel involved in cleanup should wear appropriate personal protective equipment (see Section 8). Minimize exposure. Eliminate all sources of ignition and ventilate area using explosion-proof equipment. Measures for Cleaning and Collecting: Absorb spill with non-combustible matter (such as detergent—do not use solvents) and transfer to containers. Clean spill area thoroughly. Measures for Environmental Protections: Do NOT allow to enter the sewer or outdoor environment. Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release. Additional Considerations for Large Spills: Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, or distormaceous earth in drums for waste disposal. Avoid allowing product to reach sewage system or any waterways. Inform respective authorities in case of seepage into sewage system or waterways. 7. Handling and Storage General Handling: Avoid contact with eyes, skin, mucous and clothing. Wear required PPE. Observe good hygiene guidelines and general safety practices. Do NOT eat, drink, or smoke when handling. Ensure workspace is properly ventilated. Wash hands after handling. Storage Conditions: Store in tightly sealed glass container, away from heat, light, and other sources of ignition; in a well-ventilated, dry and cool location. Keep away from strong oxidizing agents. Exposure Controls / Personal Protection Exposure Limit: This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region-specific regulatory bodies. Extraction or global ventilation. Equipment should be grounded. Provide eyewash station. Extraction or global ventilation. Equipment should be g	Fire Fighting Procedures:			
Personnel involved in cleanup should wear appropriate personal protective equipment (see Section 8). Minimize exposure. Eliminate all sources of ignition and ventilate area using explosion-proof equipment. Measures for Cleaning and Collecting:	Fire / Explosion Hazards:	may be released during oil fires. Flammable liquid and vapor. Vapors are heavier than air and may travel along surfaces to remote ignition sources		
equipment (see Section 8), Minimize exposure. Eliminate all sources of ignition and ventilate area using explosion-proof equipment. Measures for Cleaning and Collecting: Absorb spill with non-combustible matter (such as detergent—do not use solvents) and transfer to containers. Clean spill area thoroughly. Measures for Environmental Protections: Do NOT allow to enter the sewer or outdoor environment. Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release. Additional Considerations for Large Spills: Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, or diatomaceous earth in drums for waste disposal. Avoid allowing product for reads eavage system or any waterways. Inform respective authorities in case of seepage into sewage system or waterways. Avoid contact with eyes, skin, mucous and clothing. Wear required PPE. Observe good hygiene guidelines and general safety practices. Do NOT eat, drink, or smoke when handling. Ensure workspace is properly ventilated. Wash hands after handling. Storage Conditions: Store in tightly sealed glass container, away from heat, light, and other sources of ignition; in a well-ventilated, dry and cool location. Keep away from strong oxidizing agents. R. Exposure Controls / Personal Protection	6. Accidental Release Measures			
Measures for Environmental Protections: Do NOT allow to enter the sewer or outdoor environment. Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release. Additional Considerations for Large Spills: Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, or diatomaceous earth in drums for waste disposal. Avoid allowing product to reach sewage system or any waterways. Inform respective authorities in case of seepage into sewage system or waterways. Inform respective authorities in case of seepage into sewage system or waterways. 7. Handling and Storage General Handling: Avoid contact with eyes, skin, mucous and clothing. Wear required PPE. Observe good hygiene guidelines and general safety practices. Do NOT eat, drink, or smoke when handling. Ensure workspace is properly ventilated. Wash hands after handling. Storage Conditions: Store in tightly sealed glass container, away from heat, light, and other sources of ignition; in a well-ventilated, dry and cool location. Keep away from strong oxidizing agents. 8. Exposure Controls / Personal Protection Exposure Limit: This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region-specific regulatory bodies. Extraction or global ventilation. Equipment should be grounded. Provide eyewash station. Environmental Exposure Controls: Avoid discharging into sewer or environment. Do NOT eat, drink, or smoke near or after handling product. Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed Hands: Wear suitable protective gloves (resistant to chemical agents in accordance with standard EN374) in the event of prolonged or repeated skin contact. Eyes: Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN166) designed to protect against li	Health and Safety Precautions:	equipment (see Section 8). Minimize exposure. Eliminate all sources of		
Additional Considerations for Large Spills: Additional Considerations for Large Spills: Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, or diatomaceous earth in drums for waste disposal. Avoid allowing product to reach sewage system or any waterways. Inform respective authorities in case of seepage into sewage system or waterways. 7. Handling and Storage General Handling: Avoid contact with eyes, skin, mucous and clothing. Wear required PPE. Observe good hygiene guidelines and general safety practices. Do NOT eat, drink, or smoke when handling. Ensure workspace is properly ventilated. Wash hands after handling. Storage Conditions: Store in tightly sealed glass container, away from heat, light, and other sources of ignition; in a well-ventilated, dry and cool location. Keep away from strong oxidizing agents. 8. Exposure Controls / Personal Protection Exposure Limit: This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region-specific regulatory bodies. Engineering Controls: Extraction or global ventilation. Equipment should be grounded. Provide eyewash station. Environmental Exposure Controls: Avoid discharging into sewer or environment. Do NOT eat, drink, or smoke near or after handling product. Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed Hands: Wear suitable protective gloves (resistant to chemical agents in accordance with standard EN374) in the event of prolonged or repeated skin contact. Eyes: Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN366) designed to protect against liquid splashes.	Measures for Cleaning and Collecting:			
materials such as sand, earth, vermiculite, or diatomaceous earth in drums for waste disposal. Avoid allowing product to reach sewage system or any waterways. Inform respective authorities in case of seepage into sewage system or waterways. 7. Handling and Storage General Handling: Avoid contact with eyes, skin, mucous and clothing. Wear required PPE. Observe good hygiene guidelines and general safety practices. Do NOT eat, drink, or smoke when handling. Ensure workspace is properly ventilated. Wash hands after handling. Ensure workspace is properly ventilated. Wash hands after handling. Ensure workspace is properly ventilated. Wash hands after handling. Ensure workspace is properly ventilated, dry and cool location. Keep away from strong oxidizing agents. 8. Exposure Controls / Personal Protection Exposure Limit: This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region-specific regulatory bodies. Engineering Controls: Extraction or global ventilation. Equipment should be grounded. Provide eyewash station. Environmental Exposure Controls: Avoid discharging into sewer or environment. Do NOT eat, drink, or smoke near or after handling product. Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed Hands: Wear suitable protective gloves (resistant to chemical agents in accordance with standard EN374) in the event of prolonged or repeated skin contact. Eyes: Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN376) designed to protect against liquid splashes.	Measures for Environmental Protections:	an appropriately labeled, sealed container for disposal. Care should be		
Avoid contact with eyes, skin, mucous and clothing. Wear required PPE. Observe good hygiene guidelines and general safety practices. Do NOT eat, drink, or smoke when handling. Ensure workspace is properly ventilated. Wash hands after handling. Storage Conditions: Store in tightly sealed glass container, away from heat, light, and other sources of ignition; in a well-ventilated, dry and cool location. Keep away from strong oxidizing agents. 8. Exposure Controls / Personal Protection Exposure Limit: This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region-specific regulatory bodies. Engineering Controls: Extraction or global ventilation. Equipment should be grounded. Provide eyewash station. Environmental Exposure Controls: Avoid discharging into sewer or environment. Do NOT eat, drink, or smoke near or after handling product. Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed Wear suitable protective gloves (resistant to chemical agents in accordance with standard EN374) in the event of prolonged or repeated skin contact. Eyes: Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN166) designed to protect against liquid splashes.	Additional Considerations for Large Spills:	materials such as sand, earth, vermiculite, or diatomaceous earth in drums for waste disposal. Avoid allowing product to reach sewage system or any waterways. Inform respective authorities in case of seepage into sewage		
Observe good hygiene guidelines and general safety practices. Do NOT eat, drink, or smoke when handling. Ensure workspace is properly ventilated. Wash hands after handling. Store in tightly sealed glass container, away from heat, light, and other sources of ignition; in a well-ventilated, dry and cool location. Keep away from strong oxidizing agents. 8. Exposure Controls / Personal Protection Exposure Limit: This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region-specific regulatory bodies. Engineering Controls: Extraction or global ventilation. Equipment should be grounded. Provide eyewash station. Environmental Exposure Controls: Avoid discharging into sewer or environment. Do NOT eat, drink, or smoke near or after handling product. Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed Hands: Wear suitable protective gloves (resistant to chemical agents in accordance with standard EN374) in the event of prolonged or repeated skin contact. Eyes: Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN166) designed to protect against liquid splashes.	7. Handling and Storage			
Sources of ignition; in a well-ventilated, dry and cool location. Keep away from strong oxidizing agents. 8. Exposure Controls / Personal Protection Exposure Limit: This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region-specific regulatory bodies. Engineering Controls: Extraction or global ventilation. Equipment should be grounded. Provide eyewash station. Environmental Exposure Controls: Avoid discharging into sewer or environment. Do NOT eat, drink, or smoke near or after handling product. Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed Hands: Wear suitable protective gloves (resistant to chemical agents in accordance with standard EN374) in the event of prolonged or repeated skin contact. Eyes: Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN166) designed to protect against liquid splashes.	General Handling:	Observe good hygiene guidelines and general safety practices. Do NOT eat, drink, or smoke when handling. Ensure workspace is properly		
Exposure Limit: This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region-specific regulatory bodies. Engineering Controls: Extraction or global ventilation. Equipment should be grounded. Provide eyewash station. Environmental Exposure Controls: Avoid discharging into sewer or environment. Do NOT eat, drink, or smoke near or after handling product. Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed Hands: Wear suitable protective gloves (resistant to chemical agents in accordance with standard EN374) in the event of prolonged or repeated skin contact. Eyes: Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN166) designed to protect against liquid splashes.	Storage Conditions:	sources of ignition; in a well-ventilated, dry and cool location. Keep away		
ccupational exposure limits established by the region-specific regulatory bodies. Engineering Controls: Extraction or global ventilation. Equipment should be grounded. Provide eyewash station. Avoid discharging into sewer or environment. Do NOT eat, drink, or smoke near or after handling product. Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed Hands: Wear suitable protective gloves (resistant to chemical agents in accordance with standard EN374) in the event of prolonged or repeated skin contact. Eyes: Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN166) designed to protect against liquid splashes.	8. Exposure Controls / Personal Pro	ptection		
eyewash station. Avoid discharging into sewer or environment. Do NOT eat, drink, or smoke near or after handling product. Personal Protective Equipment (PPE): Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed Hands: Wear suitable protective gloves (resistant to chemical agents in accordance with standard EN374) in the event of prolonged or repeated skin contact. Eyes: Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN166) designed to protect against liquid splashes.	Exposure Limit:	occupational exposure limits established by the region-specific regulatory		
Personal Protective Equipment (PPE): Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed Hands: Wear suitable protective gloves (resistant to chemical agents in accordance with standard EN374) in the event of prolonged or repeated skin contact. Eyes: Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN166) designed to protect against liquid splashes.	Engineering Controls:			
with the product, all parts of the body that have been soiled must be washed Hands: Wear suitable protective gloves (resistant to chemical agents in accordance with standard EN374) in the event of prolonged or repeated skin contact. Eyes: Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN166) designed to protect against liquid splashes.	Environmental Exposure Controls:			
with standard EN374) in the event of prolonged or repeated skin contact. Eyes: Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN166) designed to protect against liquid splashes.	Personal Protective Equipment (PPE):	with the product, all parts of the body that have been soiled must be		
with standard EN166) designed to protect against liquid splashes.	Hands:			
Skin: Use protective clothing as necessary, such as a lab coat.	Eyes:			
	Skin:	Use protective clothing as necessary, such as a lab coat.		

July 28, 2023 Safety Data Sheet Pg. 3



Respiratory Protection:	Assure a well-ventilated work area – Use general face covering	
9. Physical and Chemical Propertie	S	
Physical State:	Liquid	
Liquid Color:	Light yellow	
Odor:	Sweet, warm, spicy aroma	
Molecular Weight:	No information	
Water Solubility:	Not soluble	
Boiling Point (°C):	No information	
Vapor Pressure (kPa):	No information	
Vapor Density (g/mL):	No information	
Flash Point – Liquid (°C):	88°C	
Upper Explosive Limits:	No information	
Lower Explosive Limits:	No information	
Polymerization:	Will not occur	
Specific Gravity 25°C:	No information	
Specific Gravity 20°C:	1.0300 - 1.0500	
Refractive Index 20°C:	1.5290 - 1.5370	
10. Stability and Reactivity		
Chemical Stability:	Stable under normal conditions of use.	
Conditions to Avoid:	Keep away from heat, spark, flames and all other sources of ignition	
Incompatible Materials:	Strong oxidizing agents and strong inorganic acids	
11. Toxicological Information		
General Information:	Product does not present an acute toxicity hazard based on known or supplied information.	
Acute Toxicity:	Not Determined	
Irritation / Sensitization:	Not Determined	
Skin Absorption:	No adverse effects with normal skin. However, potentially harmful amounts of material may be absorbed across markedly abraded skin when contact is sustained.	
Carcinogen Status:	Carcinogenicity of the mixture has not been determined. Not listed as carcinogens by IARC, US OSHA or NTP.	
12. Ecological Information		
Environmental Overview:	The environmental characteristics of this mixture have not been fully evaluated. Releases to the environment should be avoided.	
Eco-toxicity Effects:	Very toxic to aquatic organisms; may cause long-term adverse effects in the aquatic environment.	
Persistence and Degradability:	Biodegradation is expected	
Bio-accumulative Potential:	Bioaccumulation is unlikely	
Mobility in Soil:	Not Determined	
Other Adverse Effects:	Avoid exposure to marine environments and waterways	
13. Disposal Considerations		
Waste Treatment Methods:	Releases to the environment should be avoided. Review and implement appropriate technical and procedural wastewater and waste disposal measures to prevent occupational exposure or environmental releases. Waste from a spill: Contain the source of spill if it is safe to do so. Collect spill with absorbent material. Place waste in an appropriately labeled, sealed container for disposal. Clean spill area thoroughly. Care should be	

July 28, 2023 Safety Data Sheet Pg. 4



	"Naturally the Purest"	
	taken to avoid environmental release.	
14. Transport Information		
The following refers to all modes of transportation ADR, IMDG, and IATA regulations.	ion unless specified below. This material is regulated for transport under DOT,	
UN Number:	1169	
UN Proper Shipping Name:	Extracts, aromatic, liquid	
Transport Hazard Class(es):	Flammable Class 3	
Packing Group:	III	
Flash Point (°C):	88°C	
Marine Pollutant:	Yes	
15. Regulatory Information	100	
EU Symbol:		
EU Indication of Danger:	Xn – Hazard	
EU Risk Phrases:	N – Dangerous for the environment	
EU RISK PIII dSes.	R22 Harmful if swallowed	
	R26 Very toxic by inhalation	
	R38 Irritating to skin	
	R43 May cause sensitization by skin contact	
EU Safety Phrases:	R36 Irritating to eyes S20/21 When using do not eat, drink or smoke	
Lo dalety i iliases.	S23 Do not breathe gas/fumes/vapor/spray	
	S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice	
	S27/28 After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of soap and water.	
	S36/37/39 Wear suitable protective clothing, gloves, and eye/face protection	
	S46 If swallowed, seek medical advice immediately and show this container or label	
	S61 Avoid release to the environment. Refer to special instructions/safety data sheet	
OSHA Label:	Danger	
Identifying Markings in Accordance with EC Directives / GefStoffV:	No duty to mark/Exempt	
California Proposition 65:	Not listed	
United States TSCA:	Complies	
Australia (AICS):	Not present	
EU EINECS/ELINCS List:	Complies	
16. Other Information		
Section 2 Expanded Precautionary Statements	n/a	
Section 3 Expanded Classification 1272 / 2008	Eugenol – Acute Toxicity 4, Skin Irritant 2, Skin Sensitizer 1, Eye Irritant 2 Beta Caryophyllene – Aspiration Toxicity 1, Skin Sensitization 1	
	Linalool – Skin Irritant 2, Skin Sensitization 1B, Eye Irritant 2	
	Eugenyl acetate – Acute Toxicity 4	
	2-hexyl-trans-cinnamaldehyde – Skin Sensitizer 1, Aquatic Acute 1, Aquatic	
	2 Hoxyr-tians-official and only a - Only Oetistizer 1, Aquatic Acute 1, Aquatic	

July 28, 2023 Safety Data Sheet Pg. 5



Chronic 2

Trans-Cinnamic Acid – Skin Irritant 2, Eye Irritant 2, STOT SE 3 (Specicit Target Organ Toxicity Single Exposure 3)

Alpha Phellandrene – Flammable Liquid 3, Aspiration Toxicity 1 Alpha Pinene – Flammable Liquid 3, Aspiration Toxicity 1, Skin Irritant 2, Skin Sensitizer 1, Eye Damage 1, Eye Irritant 2, Aquatic Acute 1, Aquatic Chronic 1

Para Cymene – Flammable Liquid 3, Aspiration Toxicity 1, Aquatic Chronic

Disclaimer: The information contained herein is accurate to the best of our knowledge. Amrita Aromatherapy, Inc. ® makes no warranty of any kind, express or implied, concerning the safe use of this material in your process or in combination with other substances.

Revision Tracking				
Revision	Date	Reason	Author	Reviewed by
V1.0	2/25/2022	Creation	SS	AG
V1.1	8/1/2022	Edit	AG	SS