

afety Data Sheet
Organic Cypress Essential Oil
Cupressus sempervirens
n/a
8013-86-3
Personal care, Aromatherapy
Amrita Aromatherapy, Inc.®
1900 W. Stone Ave., Suite C Fairfield, IA 52556
1(800)410-9651 or 1(641)472-9136
1(641)472-8672
Poison Control: 1(800)222-1222
Liquid
Danger
H226 Flammable liquid and vapor
H304 May be fatal if swallowed and enters airways
H315 Causes skin irritation
H317 May cause an allergic skin reaction
H318 Causes serious eye damage
H410 Very toxic to aquatic life with long lasting effects
P210 Keep away from heat/sparks/open flames/hot surfaces No smoking.
P264 Wash hands thoroughly after handling
P272 Contaminated work clothing should not be allowed ou
of the workplace.
P280 Wear protective gloves/protective clothing/eye
protection/face protection.
P301 +P330 + P331: IF SWALLOWED: rinse mouth. Do
NOT induce vomiting.
P302+P352 IF ON SKIN: Wash with plenty of soap and
water.
P305+P351+P338 IF IN EYES: Rinse cautiously with water
for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333+P313 If skin irritation or rash occurs: Get medical
advice/attention.
P337+P313 If eye irritation persists: Get medical
advice/attention.
P370+P378 In case of fire: Use Foam, Dry chemical,
Carbon Dioxide, B class Extinguishers to extinguish.
Category 1
Category 2
Category 1
Category 1
Category 1
Category 3
EC or 1999/45/EC. For the full text of the R-phrases mentioned in this

Amrita Aromatherapy, Inc.® | 1900 W. Stone Ave. Suite C, Fairfield, IA 52556 | Fax: 641-472-8672

Telephone: 1-800-410-9651 | E-Mail: info@amrita.net | Web: www.amrita.net

July 31, 2023 | Safety Data Sheet | Pg. 1



	"Naturally t	the Purest"			
	Haz	ards			
Symbol(s) Writing		Pictogram(s)			
Flammable liquid and vapor					
 May be fatal if swallowed and enters a Causes skin irritation May cause an allergic skin reaction Causes serious eye damage 	airways				
Very toxic to aquatic life with long last	ting effects	¥2>			
3. Composition / Information on Ing		,			
Ingredients List: 100% Organic Cypress Ess Component	entiai Uil	CAS Number	Weight %	Classification	REACH Number
Alpha Pinene		80-56-8	<=60%	FL3, AspT1, SI2, SS1, ED1, EI2, AA1, AC1	201-291-9
Delta-3 Carene		13466-78-9	<=17%	FL3, AspT1, SI2, SS1, AC3	236-719-3
d-Limonene		5989-27-5	<=2	FL3, AspT1, SI2, SS1, AA1, AC1	227-813-5
Terpinolene		586-62-9	<=2	FL3, AspT1, SI2, SS1B, AA1, AC2	209-578-0
Myrcene		123-35-3	<=1	FL3, AspT1, SI2, EI2, AC3	204-622-5
Terpinyl Acetate		80-26-2	<=1	AC2	201-265-7
Beta Pinene		127-91-3	<=1	FL3, AspT1, SI2, SS1, AA1, AC1	242-060-2
	e Section 8 for	Exposure Limit	s)		
4. First Aid Measures					
General Advice:	Seek medical attention in case of any discomfort. Observe risk of aspiration if vomiting occurs. May cause lung damage if swallowed.				
Eye Contact:	Remove contact lenses. Flush repeatedly with water for 15 minutes; contact physician				
Skin Contact:	Remove contaminated clothing, wash with water and soap. Contact physician if redness or irritation develop.				
Ingestion:	Do NOT induce vomiting. Rinse out mouth. Do NOT give water or milk unless directed by medical professional. Contact POISON CENTER or doctor immediately.				
Inhalation:	Remove to fresh air and contact a physician if symptoms such as wheezing, coughing, shortness of breath, or burning in the mouth, throat, or				



Chest occur.		"Naturally the Purest"		
Extinguishing Media: SUITABLE: Foam, Dry chemical, Carbon Dioxide, B class Extinguishers NON-SUITABLE: Water Jet		chest occur.		
NON-SUITABLE: Water Jet	5. Fire Fighting Measures			
Fire Fighting Procedures: When possible, prevent environmental run-off. Use self-contained breathing apparatus and protective clothing. Carbon monoxide, carbon dioxide, acrid furnes, smoke, or flammable vapor may be released during oil fires. Flammable liquid and vapor. Vapors are heavier than air and may travel along surfaces to remote ignition sources and flash back. Personnel involved in cleanup should wear appropriate personal protective equipment (see Section 8). Minimize exposure. Eliminate all sources of ignition and ventilate area using explosion-proof equipment. Measures for Cleaning and Collecting: Absorb spill with non-combustible matter (such as detergent—donly use solvents) and transfer to containers. Clean spill area throroughly. Measures for Environmental Protections: Do NOT allow to enter the sewer or outdoor environment. Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release. Additional Considerations for Large Spills: Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, or diatomaceous earth in drums for waste disposal. Avoid allowing product to reach sewage system or any waterways. Inform respective authorities in case of seepage into sewage system or waterways. Inform respective authorities in case of seepage into sewage system or waterways. Inform respective authorities in case of seepage into sewage system or waterways. Inform respective authorities in case of seepage into sewage system or waterways. Inform respective authorities in case of seepage into sewage system or waterways. Inform respective authorities in case of seepage into sewage system or waterways. Inform respective authorities in case of seepage into sewage system or in the process of seepage into sewage system or or waterways. Inform respective authorities in case of seepage into sewage system or in the process of seepage into sewage system or in the process of seepage into sewage system	Extinguishing Media:	· · · · · · · · · · · · · · · · · · ·		
apparatus and protective dothing.	Hazardous Combustion Products:	Carbon Dioxide and Carbon Monoxide		
may be released during oil fires. Flammable liquid and vapor. Vapors are heavier than air and may travel along surfaces to remote ignition sources and flash back. 6. Accidental Release Measures Health and Safety Precautions: Personnel involved in cleanup should wear appropriate personal protective equipment (see Section 8). Minimize exposure. Eliminate all sources of ignition and ventilate area using explosion-proof equipment. Measures for Cleaning and Collecting: Absorb spill with non-combustible matter (such as detergent—do not use solvents) and transfer to containers. Clean spill area thoroughly. Measures for Environmental Protections: Do NOT allow to enter the sewer or outdoor environment. Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release. Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, or diatomaceous earth in drums for waste disposal. Avoid allowing product to reach sewage system or any waterways. Inform respective authorities in case of seepage into sewage system or waterways. 7. Handling and Storage General Handling: Avoid contact with eyes, skin, mucous and clothing. Wear required PPE. Observe good hygiene guidelines and general safety practices. Do NOT eat, drink, or smoke when handling. Ensure workspace is properly ventilated. Wash hands after handling. Storage Conditions: Store in tightly sealed glass container, away from heat, light, and other sources of ignition; in a well-ventilated, dry, and cool location. Keep away from strong oxidizing agents. Exposure Controls / Personal Protection Exposure Limit: This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region-specific regulatory bodies. Extraction or global ventilation. Equipment should be grounded. Provide eyewash station. Avoid discharging into sever or environment. Do NOT eat, drink, or smoke near or after handling prod	Fire Fighting Procedures:			
Personnel involved in cleanup should wear appropriate personal protective equipment (see Section 8). Minimize exposure. Eliminate all sources of ignition and ventilate area using explosion-proof equipment. Measures for Cleaning and Collecting: Absorb spill with non-combustible matter (such as detergent—do not use solvents) and transfer to containers. Clean spill area thoroughly. Measures for Environmental Protections: Do NOT allow to enter the sewer or outdoor environment. Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release. Additional Considerations for Large Spills: Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, or diatomaceous earth in drums for waste disposal. Avoid allowing product to reach sewage system or any waterways. Inform respective authorities in case of seepage into sewage system or waterways. Inform respective authorities in case of seepage into sewage system or waterways. Inform respective authorities in case of seepage into sewage system or waterways. Inform respective authorities in case of seepage into sewage system or waterways. Inform respective authorities in case of seepage into sewage system or waterways. Inform respective authorities in case of seepage into sewage system or waterways. Inform respective authorities in case of seepage into sewage system or waterways. Inform respective authorities in case of seepage into sewage system or waterways. Inform respective authorities in case of seepage into sewage system or any waterways. Inform respective authorities in case of seepage into sewage system or any waterways. Inform respective authorities in case of seepage into sewage system or any waterways. Inform respective authorities in case of seepage into sewage system or any waterways. Inform respective authorities in case of seepage into sewage system or authorities in case of seepage into sewage system or authorities in case of seepage int	Fire / Explosion Hazards:	may be released during oil fires. Flammable liquid and vapor. Vapors are heavier than air and may travel along surfaces to remote ignition sources		
equipment (see Section 8). Minimize exposure. Eliminate all sources of ignition and ventilate area using explosion-proof equipment. Measures for Cleaning and Collecting: Absorb spill with non-combustible matter (such as detergent-do not use solvents) and transfer to containers. Clean spill area thoroughly. Measures for Environmental Protections: Do NOT allow to enter the sewer or outdoor environment. Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release. Additional Considerations for Large Spills: Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, or diatomaceous earth in drums for waste disposal. Avoid allowing product to reach sewage system or any waterways. Inform respective authorities in case of seepage into sewage system or waterways. 7. Handling and Storage General Handling: Avoid contact with eyes, skin, mucous and clothing. Wear required PPE. Observe good hygiene guidelines and general safety practices. Do NOT eat, drink, or smoke when handling. Ensure workspace is properly ventilated. Wash hands after handling. Storage Conditions: Storage Conditions: Store in tightly sealed glass container, away from heat, light, and other sources of ignition; in a well-ventilated, dry, and cool location. Keep away from strong oxidizing agents. 8. Exposure Controls / Personal Protection Exposure Limit: This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region-specific regulatory bodies. Extraction or global ventilation. Equipment should be grounded. Provide eyewash station. Environmental Exposure Controls: Avoid discharging into sewer or environment. Do NOT eat, drink, or smoke near or after handling product. Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed Hands: Wear suitable protective gloves	6. Accidental Release Measures			
Measures for Environmental Protections: Do NOT allow to enter the sewer or outdoor environment. Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release. Additional Considerations for Large Spills: Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, or diatomaceous earth in drums for waste disposal. Avoid allowing product to reach sewage system or any waterways. Inform respective authorities in case of seepage into sewage system or waterways. 7. Handling and Storage General Handling: Avoid contact with eyes, skin, mucous and clothing. Wear required PPE. Observe good hygiene guidelines and general safety practices. Do NOT eat, drink, or smoke when handling. Ensure workspace is properly ventilated. Wash hands after handling. Storage Conditions: Store in tightly sealed glass container, away from heat, light, and other sources of ignition; in a well-ventilated, dry, and cool location. Keep away from strong oxidizing agents. 8. Exposure Controls / Personal Protection Exposure Limit: This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region-specific regulatory bodies. Extraction or global ventilation. Equipment should be grounded. Provide eyewash station. Environmental Exposure Controls: Avoid discharging into sewer or environment. Do NOT eat, drink, or smoke near or after handling product. Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed Hands: Wear suitable protective gloves (resistant to chemical agents in accordance with standard EN374) in the event of prolonged or repeated skin contact. Eyes: Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN166) designed to protect against liquid splashes.	Health and Safety Precautions:	equipment (see Section 8). Minimize exposure. Eliminate all sources of		
Additional Considerations for Large Spills: Additional Considerations for Large Spills: Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, or diatomaceous earth in drums for waste disposal. Avoid allowing product to reach sewage system or any waterways. Inform respective authorities in case of seepage into sewage system or waterways. 7. Handling and Storage General Handling: Avoid contact with eyes, skin, mucous and clothing. Wear required PPE. Observe good hygiene guidelines and general safety practices. Do NOT eat, drink, or smoke when handling. Ensure workspace is properly ventilated. Wash hands after handling. Storage Conditions: Storage Conditions: Store in tightly sealed glass container, away from heat, light, and other sources of ignition; in a well-ventilated, dry, and cool location. Keep away from strong oxidizing agents. 8. Exposure Controls / Personal Protection Exposure Limit: This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region-specific regulatory bodies. Engineering Controls: Extraction or global ventilation. Equipment should be grounded. Provide eyewash station. Environmental Exposure Controls: Avoid discharging into sewer or environment. Do NOT eat, drink, or smoke near or after handling product. Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed Hands: Wear suitable protective gloves (resistant to chemical agents in accordance with standard EN374) in the event of prolonged or repeated skin contact. Eyes: Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN366) designed to protect against liquid splashes.	Measures for Cleaning and Collecting:			
materials such as sand, earth, vermiculite, or diatomaceous earth in drums for waste disposal. Avoid allowing product to reach sewage system or any waterways. Inform respective authorities in case of seepage into sewage system or waterways. 7. Handling and Storage General Handling: Avoid contact with eyes, skin, mucous and clothing. Wear required PPE. Observe good hygiene guidelines and general safety practices. Do NOT eat, drink, or smoke when handling. Ensure workspace is properly ventilated. Wash hands after handling. Ensure workspace is properly ventilated. Wash hands after handling. Ensure workspace is properly ventilated. Wash hands after handling. Ensure workspace is properly ventilated. Wash hands after handling. Storage Conditions: Store in tightly sealed glass container, away from heat, light, and other sources of ignition; in a well-ventilated, dry, and cool location. Keep away from strong oxidizing agents. 8. Exposure Controls / Personal Protection Exposure Limit: This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region-specific regulatory bodies. Extraction or global ventilation. Equipment should be grounded. Provide eyewash station. Environmental Exposure Controls: Avoid discharging into sewer or environment. Do NOT eat, drink, or smoke near or after handling product. Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed Wear suitable protective gloves (resistant to chemical agents in accordance with standard EN374) in the event of prolonged or repeated skin contact. Eyes: Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN36) designed to protect against liquid splashes.	Measures for Environmental Protections:	an appropriately labeled, sealed container for disposal. Care should be		
Avoid contact with eyes, skin, mucous and clothing. Wear required PPE. Observe good hygiene guidelines and general safety practices. Do NOT eat, drink, or smoke when handling. Ensure workspace is properly ventilated. Wash hands after handling. Storage Conditions: Store in tightly sealed glass container, away from heat, light, and other sources of ignition; in a well-ventilated, dry, and cool location. Keep away from strong oxidizing agents. 8. Exposure Controls / Personal Protection Exposure Limit: This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region-specific regulatory bodies. Engineering Controls: Extraction or global ventilation. Equipment should be grounded. Provide eyewash station. Environmental Exposure Controls: Avoid discharging into sewer or environment. Do NOT eat, drink, or smoke near or after handling product. Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed Wear suitable protective gloves (resistant to chemical agents in accordance with standard EN374) in the event of prolonged or repeated skin contact. Eyes: Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN166) designed to protect against liquid splashes.	Additional Considerations for Large Spills:	materials such as sand, earth, vermiculite, or diatomaceous earth in drums for waste disposal. Avoid allowing product to reach sewage system or any waterways. Inform respective authorities in case of seepage into sewage		
Observe good hygiene guidelines and general safety practices. Do NOT eat, drink, or smoke when handling. Ensure workspace is properly ventilated. Wash hands after handling. Store in tightly sealed glass container, away from heat, light, and other sources of ignition; in a well-ventilated, dry, and cool location. Keep away from strong oxidizing agents. 8. Exposure Controls / Personal Protection Exposure Limit: This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region-specific regulatory bodies. Engineering Controls: Extraction or global ventilation. Equipment should be grounded. Provide eyewash station. Environmental Exposure Controls: Avoid discharging into sewer or environment. Do NOT eat, drink, or smoke near or after handling product. Personal Protective Equipment (PPE): Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed Hands: Wear suitable protective gloves (resistant to chemical agents in accordance with standard EN374) in the event of prolonged or repeated skin contact. Eyes: Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN166) designed to protect against liquid splashes.	7. Handling and Storage			
8. Exposure Controls / Personal Protection Exposure Limit: This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region-specific regulatory bodies. Engineering Controls: Extraction or global ventilation. Equipment should be grounded. Provide eyewash station. Environmental Exposure Controls: Avoid discharging into sewer or environment. Do NOT eat, drink, or smoke near or after handling product. Personal Protective Equipment (PPE): Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed Hands: Wear suitable protective gloves (resistant to chemical agents in accordance with standard EN374) in the event of prolonged or repeated skin contact. Eyes: Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN166) designed to protect against liquid splashes.	General Handling:	Observe good hygiene guidelines and general safety practices. Do NOT eat, drink, or smoke when handling. Ensure workspace is properly		
Exposure Limit: This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region-specific regulatory bodies. Engineering Controls: Extraction or global ventilation. Equipment should be grounded. Provide eyewash station. Environmental Exposure Controls: Avoid discharging into sewer or environment. Do NOT eat, drink, or smoke near or after handling product. Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed Hands: Wear suitable protective gloves (resistant to chemical agents in accordance with standard EN374) in the event of prolonged or repeated skin contact. Eyes: Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN166) designed to protect against liquid splashes.	Storage Conditions:	sources of ignition; in a well-ventilated, dry, and cool location. Keep away		
occupational exposure limits established by the region-specific regulatory bodies. Engineering Controls: Extraction or global ventilation. Equipment should be grounded. Provide eyewash station. Environmental Exposure Controls: Avoid discharging into sewer or environment. Do NOT eat, drink, or smoke near or after handling product. Personal Protective Equipment (PPE): Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed Hands: Wear suitable protective gloves (resistant to chemical agents in accordance with standard EN374) in the event of prolonged or repeated skin contact. Eyes: Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN166) designed to protect against liquid splashes.	8. Exposure Controls / Personal Pro	otection		
eyewash station. Avoid discharging into sewer or environment. Do NOT eat, drink, or smoke near or after handling product. Personal Protective Equipment (PPE): Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed Hands: Wear suitable protective gloves (resistant to chemical agents in accordance with standard EN374) in the event of prolonged or repeated skin contact. Eyes: Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN166) designed to protect against liquid splashes.	Exposure Limit:	occupational exposure limits established by the region-specific regulatory		
near or after handling product. Personal Protective Equipment (PPE): Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed Hands: Wear suitable protective gloves (resistant to chemical agents in accordance with standard EN374) in the event of prolonged or repeated skin contact. Eyes: Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN166) designed to protect against liquid splashes.	Engineering Controls:			
with the product, all parts of the body that have been soiled must be washed Hands: Wear suitable protective gloves (resistant to chemical agents in accordance with standard EN374) in the event of prolonged or repeated skin contact. Eyes: Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN166) designed to protect against liquid splashes.	Environmental Exposure Controls:			
with standard EN374) in the event of prolonged or repeated skin contact. Eyes: Avoid contact with eyes. Use eye protectors (safety goggles in accordance with standard EN166) designed to protect against liquid splashes.	Personal Protective Equipment (PPE):	with the product, all parts of the body that have been soiled must be		
with standard EN166) designed to protect against liquid splashes.	Hands:			
Skin: Use protective clothing as necessary, such as a lab coat.	Eyes:			
	Skin:	Use protective clothing as necessary, such as a lab coat.		



Description Burtouth	A		
Respiratory Protection:	Assure a well-ventilated work area – Use general face covering		
9. Physical and Chemical Properties			
Physical State:	Liquid		
Liquid Color:	Pale yellow to orange		
Odor:	Characteristic		
Molecular Weight:	No information		
Water Solubility:	Not soluble		
Boiling Point (°C):	No information		
Vapor Pressure (kPa):	No information		
Vapor Density (g/mL):	No information		
Flash Point – Liquid (°C):	41°C		
Upper Explosive Limits:	No information		
Lower Explosive Limits:	No information		
Polymerization:	Will not occur		
Specific Gravity 25°C:	No information		
Specific Gravity 20°C:	0.860 – 0.874		
Refractive Index 20°C:	1.468 – 1.478		
10. Stability and Reactivity			
Chemical Stability:	Stable under normal conditions of use.		
Conditions to Avoid:	Keep away from heat, spark, flames, and all other sources of ignition		
Incompatible Materials:	Strong oxidizing agents and strong inorganic acids		
11. Toxicological Information			
General Information:	Product does not present an acute toxicity hazard based on known or supplied information.		
Acute Toxicity:	Not Determined		
Irritation / Sensitization:	Not Determined		
Skin Absorption:	No adverse effects with normal skin. However, potentially harmful amounts of material may be absorbed across markedly abraded skin when contact is sustained.		
Carcinogen Status:	Carcinogenicity of the mixture has not been determined. Not listed as carcinogens by IARC, US OSHA or NTP.		
12. Ecological Information			
Environmental Overview:	The environmental characteristics of this mixture have not been fully evaluated. Releases to the environment should be avoided.		
Eco-toxicity Effects:	Very toxic to aquatic organisms; may cause long-term adverse effects in the aquatic environment.		
Persistence and Degradability:	Biodegradation is expected		
Bio-accumulative Potential:	Bioaccumulation is unlikely		
Mobility in Soil:	Not Determined		
Other Adverse Effects:	Avoid exposure to marine environments and waterways		
13. Disposal Considerations			
Waste Treatment Methods:	Releases to the environment should be avoided. Review and implement appropriate technical and procedural wastewater and waste disposal measures to prevent occupational exposure or environmental releases. Waste from a spill: Contain the source of spill if it is safe to do so. Collect spill with absorbent material. Place waste in an appropriately labeled, sealed container for disposal. Clean spill area thoroughly. Care should be		

July 31, 2023 Safety Data Sheet Pg. 4



	"Naturally the Purest"
	taken to avoid environmental release.
14. Transport Information	
The following refers to all modes of transportati ADR, IMDG, and IATA regulations.	on unless specified below. This material is regulated for transport under DOT,
UN Number:	1169
UN Proper Shipping Name:	Extracts, aromatic, liquid
Transport Hazard Class(es):	Flammable Class 3
Packing Group:	III
Flash Point (°C):	41°C
Marine Pollutant:	Yes
15. Regulatory Information	
EU Symbol:	* * *
EU Indication of Danger:	X – Hazard, F – Flammable, N – Hazardous to Environment
EU Risk Phrases:	R10 – Flammable. R26 – Very toxic by inhalation. R38 – Irritating to skin. R41 – Risk of serious damage to eyes. R 50/53 – Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
EU Safety Phrases:	S 1 – Keep locked up S 3 – Keep in a cool place S 7 – Keep container tightly closed S 9 – Keep container in a well-ventilated place S 16 – Keep away from sources of ignition – No smoking S 23 – Do not breathe gas/fumes/vapor/spray. S 26 – In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S 28 – After contact with skin, wash immediately with plenty of soap and water S 33 – Take precautionary measures against static discharges. S 36/37/39 – Wear suitable protective clothing, gloves, and eye/face protection. S 43 – In case of fire use: Foam, Dry chemical, Carbon Dioxide, B class Extinguishers to extinguish. S 60 – This material and its container must be disposed of as hazardous waste S 61 – Avoid release to the environment. Refer to special instructions/safety data sheet S 62 – If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label
OSHA Label:	Danger
Identifying Markings in Accordance with EC Directives / GefStoffV:	No duty to mark/Exempt
California Proposition 65:	WARNING! This product contains chemicals known to the State of California to cause cancer or reproductive harm. For more information go to www.P65Warnings.ca.gov.
United States TSCA:	Complies
Australia (AICS):	Not present
EU EINECS/ELINCS List:	Complies

July 31, 2023 Safety Data Sheet Pg. 5



16. Other Info	rmation					
Section 2 Expan	ded Precautionary	P233 Keep contain	P233 Keep container tightly closed.			
Statements	•	P240 Ground/bond	P240 Ground/bond container and receiving equipment.			
		P241 Use explosio	n-proof electrical/ventilat	ting/lighting//equipment.		
		P242 Use only non	-sparking tools.			
			onary measures agains	t static discharge.		
		•	ng dust/fume/gas/mist/v	•		
			P273 Avoid release to the environment. P391 Collect spillage. P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately a contaminated clothing. Rinse skin with water/shower. P403+P235 Store in a well-ventilated place. Keep cool. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations			
		P391 Collect spillad				
		P403+P235 Store i				
		P405 Store locked				
		P501 Dispose of co				
Section 3 Expand 2008	ded Classification 1272	n 1272 / Alpha Pinene – Flammable Liquid 3, Aspiration Toxicity Skin Sensitizer 1, Eye Damage 1, Eye Irritant 2, Aquatic Chronic 1				
			Delta-3 Carene – Flammable Liquid 3, Aspiration Toxicity 1, Skin Irritant 2, Skin Sensitizer 1, Aquatic Chronic 3 d-Limonene – Flammable Liquid 3, Aspiration Toxicity 1, Skin Irritant 2, Ski Sensitizer 1, Aquatic Acute 1, Aquatic Chronic 3 Terpinolene – Flammable Liquid 3, Aspiration Toxicity 1, Skin Irritant 2, Ski Sensitizer 1B, Aquatic Acute 1, Aquatic Chronic 2			
			ble Liquid 3, Aspiration	Toxicity 1, Skin Irritant 2, Eye		
		Terpinyl Acetate –				
			Beta Pinene – Flammable Liquid 3, Aspiration Toxicity 1, Skin Irritant 2, Skin Sensitizer 1, Aquatic Acute 1, Aquatic Chronic 1			
	y kind, express or implied			ta Aromatherapy, Inc.® makes process or in combination with		
Out ou bolailees.		Revision Track	ing			
Revision	Date	Reason	Author	Reviewed by		
V1.0	2/6/2023	Creation	AG	SS		